



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

648.3537

Job Sheet 214792



Part No: 648.3537

Job Qty: 25 pcs

Part Name: Aft RH Girt Strip



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 11/2/20

Job Tracking No:

Due Date: 11/25/20

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG 648.3500 REV C IPP REV:A 20.11.02 NEW ISSUE FK VERIFY DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Waterjet - Omax - 1	25 pcs		11/23/20	0.17	2.50	Waterjet - Omax		on 20/11/10
							Waterjet - Omax - SCH-S		
110	QC 2	25 pcs		11/23/20	0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		on 20/11/10
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		
							QC 2 - 66		
							QC 2 - 64		

Container No: S311944

 Part: 648.3537

 Job No: 214792

 Serial No/Batch: S311944

 Revision:

 Inspector:

 Exp Date:

 Instructions:

 Date: 11/10/20

Dart Aerospace Ltd.

 1270 Aberdeen Street

 Hawkesbury, ON K6A 1K7

 CANADA

 TEL: 1 613 632-5200

 Email: sales@dartaero.com

 www.dartaero.com

Plex 11/2/20 10:34 AM Dart.lajeunesse.marie

					QC 2 - 65	
					QC 2 - 5	
					QC 2 - 71	
					QC 2 - 73	
					QC 2 - 69	
					QC 2 - 76	
					QC 2 - 86	
					QC 2 - 83	
112	Small Fab - 2 - B4B	25 pcs	11/23/20	0.00 2.50	Small Fab - 1 - B4B	
					Small Fab - 2 - B4B	
					Small Fab - 3 - B4B	
					Small Fab - 4 - B4B	
					Small Fab - 5 - B4B	
					Small Fab - 6 - B4B	
					Small Fab - 7 - B4B	
					Small Fab - 8 - B4B	
					Small Fab - 9 - B4B	
					Small Fab - Various 1 - B4B	
					Small Fab - SCH-B	
114	QC 5	25 pcs	11/23/20	0.00 0.00	QC 5 - 10	
					QC 5 - 12	
					QC 5 - 17	
					QC 5 - 18	
					QC 5 - 19	
					QC 5 - 22	
					QC 5 - 24	
					QC 5 - 3	
					QC 5 - 43	
					QC 5 - 49	
					QC 5 - 51	
					QC 5 - 58	
					QC 5 - 68	
					QC 5 - 9	
					QC 5 - 50	
					QC 5 - 30	
					QC 5 - 40	
					QC 5 - 61	
					QC 5 - 81	
					QC 5 - 82	
					QC 5 - SCH-B	
120	NV5000 - 1 - B4B	25 pcs	11/24/20	1.00 25.00	NV5000 - 1 - B4B	
					NV5000 - 2 - B4B	
130	QC 2	25 pcs	11/24/20	0.00 0.00	QC 2 - 1	
					QC 2 - 12	
					QC 2 - 14	
					QC 2 - 17	
					QC 2 - 19	
					QC 2 - 2	
					QC 2 - 20	
					QC 2 - 22	
					QC 2 - 23	
					QC 2 - 25	
					QC 2 - 32	
					QC 2 - 33	
					QC 2 - 35	
					QC 2 - 39	
					QC 2 - 4	
					QC 2 - 40	



6003
11/12/2020

see attached

net'l certs req'd

DAS
82
9-89

NOV 12 2020

DLA

20/11/12

de burr & remove sharp edges

DLA

DAS
86
9-89

20/11/12

					QC 2 - 44	
					QC 2 - 45	
					QC 2 - 48	
					QC 2 - 49	
					QC 2 - 50	
					QC 2 - 51	
					QC 2 - 52	
					QC 2 - 57	
					QC 2 - 62	
					QC 2 - 63	
					QC 2 - 8	
					QC 2 - 66	
					QC 2 - 64	
					QC 2 - 65	
					QC 2 - 5	
					QC 2 - 71	
					QC 2 - 73	
					QC 2 - 69	
					QC 2 - 76	
					QC 2 - 86	
					QC 2 - 83	
140	QC 8	25 pcs	11/24/20	0.00 0.00	QC 8 - 12	
					QC 8 - 14	
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	DAS
					QC 8 - 33	33
					QC 8 - 35	9-89 20/11/12
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	
					QC 8 - 9	
					QC 8 - 68	
					QC 8 - 67	
					QC 8 - 1 (A)	
					QC 8 - 47	
					QC 8 - 40	
					QC 8 - 52	
					QC 8 - 23	
					QC 8 - 57	
					QC 8 - 76	
					QC 8 - 61	
					QC 8 - 66	
					QC 8 - 73	
					QC 8 - 82	
142	Small Fab - 2 - B4B	25 pcs	11/25/20	0.00 2.50	Small Fab - 1 - B4B	DAS
					Small Fab - 2 - B4B	58
					Small Fab - 3 - B4B	9-89 NOV 13 2020
					Small Fab - 4 - B4B	
					Small Fab - 5 - B4B	
					Small Fab - 6 - B4B	
					Small Fab - 7 - B4B	
					Small Fab - 8 - B4B	

				Small Fab - 9 - B4B	
				Small Fab - Various 1 - B4B	
				Small Fab - SCH-B	
144 QC 5	25 pcs	11/25/20	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
				QC 5 - 82	
				QC 5 - SCH-B	
150 Packaging 3-1 - Stock - B4B	25 pcs	11/25/20	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Plex 11/2/20 10:34 AM Dart.lajeunesse.marie	

DAS
82
9-89
NOV 12 2020

DAS
28
9-89
NOV 13 2020

				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
				Packaging 3 - 37 - B4B	
160 QC 21 - SA	25 pcs	11/25/20	0.00 0.00	QC 21 - SA - 21	
				QC 21 - SA - 70	
				QC 21 - SA - 9	
				QC 21 - SA - 77	NOV 13 2020
				QC 21 - SA - 28	9-89

Part Op **100** - 1-Cut as per DWG. DWG. Rev: C PROG. Rev: C 2-Deburr if necessary
 Descriptions: **110** - QC2- Inspect parts off machine FAI/FAIB
112 - Mill holes chmfs as per DWG
120 - 1-Machine as per folio FD412 FOLIO REV: AA DWG REV: C 2-Deburr
130 - QC2- Inspect parts off machine FAI/FAIB
140 - QC8- Inspect parts - second check
142 - Score surface, before applying primer, using 40 GRIT sand paper. S306820 9/21
150 - Identify as per dwg & Stock Location: _____
160 - QC21- Final Inspection - Work Order Release

Job BOM				
Part / Item	Component Name	Quantity	Operation	Container
M301S11GA-H50	301 SS Sheet - 1/2 hard 0.125	.9250 sf (.037 ea)	100-Waterjet - Omax - 1	<u>S302475</u>



Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
100-Waterjet - Omax - 1	M301S11GA-H50	1	22	0

Part Specifications
Specifications could not be found.


GA-TBD

Plex 11/2/20 10:34 AM Dart.lajeunesse.marie


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



648.3535



648.3536



648.3537

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 214792
MLW
20-1102

ORIGINAL DATE (MM/DD/YY)	08-19-10	DART AEROSPACE		3030 ENTERPRISE CT., SUITE A	
DRAWN BY	CHECKER	APICAL INDUSTRIES INC.		VISTA, CA 92081	
F. ANDERSSON	P. BRAYO	DBA DART AEROSPACE		(760)-724-5300	
DRAWING APPROVAL		SHEETMETAL			
P. BRAYO					
6-15-10					
CONTRACT NO.					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		SIZE	CAGE CODE	DWG. NO.	REV.
		B	07M26	648.3500	C
		SCALE NONE		SHEET 8 OF 12	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread		Other/Details: _____ _____ _____			

ORDER NOTES

FAI measurements required for all parts on this order.

Lines 1-3 are priority.

Ship all lines Fedex Standard Overnight through account 198549495.

****CRITICAL REQUIREMENT TO DEBURR AND REMOVE SHARP EDGES****

Terms & Condition of Purchasing (Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements.

Please visit www.dartaerospace.com for PO Terms & Condition and Quality Clause Standard Requirements for San Diego, CA, AIWI-7.4.1QCS

PO order acknowledgement required.

All items/services subject to our inspection and acceptance.

Packing slip required with each shipment.

Certificate of

Conformity

is required.

Material and Outside Process Certifications required with each shipment

Remit to: DART Aerospace Ltd., 1270 Aberdeen Street, Hawkesbury, Ontario K6A 1K7 Canada

Tel: 613 632 5200

Fax: 613 632 5246

accounting@dartaero.com

GST/HST 10127 2607

Note: A minimum 15% restocking fee is applicable. Custom items are non-refundable. Full warranty details are available at www.dartaerospace.com

International / US Wires:

Swift Code: CHASUS33 Bank Routing #: 021000021 Account #: 133281000

Bank Name: JPMorgan Chase Bank 201 St. Charles Ave., New Orleans, LA USA 70170

Account Name: DART Aerospace Ltd.

Notification October 2018: Our banking information has remained unchanged

Latest Revision Provided Unless Otherwise Requested

Plex 10/30/20 1:32 PM dart.crooks.caitlin



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

ORDER ACKNOWLEDGEMENT

CUSTOMER				ORDER			
Customer Code: CAPIC01 Sold To: DART Aerospace Ltd - Vista 3030 Enterprise Court, Suite A Vista, CA 92081 USA Phone: 760-509-1617 Ship To: DART Aerospace Ltd - Vista 3030 Enterprise Court, Suite A Vista, CA 92081 USA Phone: (760) 724-5300				Order No : 30757 Date: 10/29/20 Ship-To Contact: Ernie Navarro Email: enavarro@dartaero.com Cust PO No: POSD004481 FOB: Shipping Point Ship Via: Freight Terms: PrePaid Terms: Net 30 INCO Terms: Ex Works Order Taker: Tori Sera Order Taker Phone: Order Taker Email: tsera@dartaero.com			

Line No	Due Date	Ship Date	Part	Description/Note	Quantity	Unit	Price	Unit	Extended Price
1	11/30/20	11/30/20	648.3535	Fwd RH Girt Strip Build per DWGP/N 648.3500Rev C. Adhereto all notes andflag notes onDWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES	50	pcs	\$38.96USD	pcs	\$1,948.10 USD
2	11/30/20	11/30/20	648.3538	Aft Girt Strip Build per DWGP/N 648.3500Rev C. Adhereto all applicablenotes and flagnotes on DWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES**	25	pcs	\$14.62USD	pcs	\$365.41 USD
3	11/30/20	11/30/20	648.3539	RH Aft Girt Strip Build per DWGP/N 648.3500Rev C. Adhereto all applicablenotes and flagnotes on DWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES	25	pcs	\$14.55USD	pcs	\$363.69 USD
4	11/30/20	11/30/20	648.3540	Fwd Girt Strip Build per DG /N648.3500 RevC. Adhere to allapplicable notesand flag noteson DWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES**	100	pcs	\$10.28USD	pcs	\$1,028.10 USD
5	12/7/20	12/7/20	648.3537	Aft RH Girt Strip Build per DWGP/N 648.3500Rev C. Adhereto all applicablenotes and flagnotes on DWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES**	25	pcs	\$10.09USD	pcs	\$252.26 USD
6	12/7/20	12/7/20	648.3536	Mid RH Girt Strip Build per DWGP/N 648.3500Rev C. Adhereto all applicablenotes and flagnotes on DWG. **CRITICALREQUIREMENTTO DEBURRAND REMOVESHARPEDGES**	20	pcs	\$38.96USD	pcs	\$779.24 USD
7	11/30/20	11/30/20	MISC	MISCELLANEOUS Non RecurringCharge-Programmingfor 648.3537,648.3538,648.3539 &648.3540	4	pcs	\$78.00USD	pcs	\$312.00 USD
8	11/30/20	11/30/20	MISC	MISCELLANEOUS Non-RecurringCharge-Programmingfor 648.3535 &648.3536	2	pcs	\$95.00USD	pcs	\$190.00 USD
Sub Total									\$5,238.80 USD
Grand Total									\$5,238.80 USD

Plex 10/30/20 1:32 PM dart.crooks.caitlin

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M301S11GA

PO / BATCH NO.: POHB047051

DATE: SEP 23 2020

S 302475

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 30SF
 QUANTITY INSPECTED: 30SF
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .125
 THICKNESS RECEIVED: .125
 SHEET SIZE ORDERED: 3'x10'
 SHEET SIZE RECEIVED: 3'x10'

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	AMS 5518 / ASTM A666
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	HIT 7592253
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: _____ DATE: SEP 23 2020		SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

United Performance Metals

Paul Isaacs
Paul Isaacs
Quality Associate

Customer Name: TW Metals - Exton

Customer PO: M49426595

UPM Sales Order: 755822

Date: 3/17/2020

Description/Form: STAINLESS 301 1/2 HARD - SHEET

Heat Number: 7592253

Ingot: 19L00356506

Width: 36.0000 **Length:** 120.0000

Size: .1250

Customer P/N:
Packing List Number: 143346-1

Quantity: 1092 LB 7 pc.

		AK Steel Corporation Metallurgical Test Report Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.		Page 1												
				Lead No. 5391843 Srm No. 5391843												
C U S T O M E R	UNITED PERFORMANCE METALS INC 3475 SYMMES RD HAMILTON, OH 45015		S H I P T O	UNITED PERFORMANCE METALS O'NEAL PERFORMANCE METALS METAL PROCESSING DIVISION 3475 SYMMES ROAD HAMILTON, OH 45015												
	MILL ORDER NO. 271940-3395 PROCESSOR ORDER NO. CIN-35836-P14 BUYERS ORDER NO. CIN-35836-P14 PART NO. ENGLISH UNITS ~PRODUCT~ METRIC UNITS .1250 NOM 36.0000 X 120.0000															
LIFT ID	PIECE	HEAT	PARENT LIFT ID	NET WEIGHT	OUTSIDE PROCESSOR ID											
729941-03-001	21	7592253	729941-03	3,285 LBS. 1,490 KG.	19L00356501											
729941-03-002	21	7592253	729941-03	3,260 LBS. 1,479 KG.	19L00356502											
729941-03-003	21	7592253	729941-03	3,275 LBS. 1,486 KG.	19L00356503											
729941-03-004	21	7592253	729941-03	3,270 LBS. 1,483 KG.	19L00356504											
729941-03-005	21	7592253	729941-03	3,275 LBS. 1,486 KG.	19L00356505											
729941-03-006	21	7592253	729941-03	3,275 LBS. 1,486 KG.	19L00356506											
729941-03-007	21	7592253	729941-03	3,275 LBS. 1,486 KG.	19L00356507											
729941-03-008	21	7592253	729941-03	3,280 LBS. 1,488 KG.	19L00356508											
729941-03-009	8	7592253	729941-03	1,250 LBS. 567 KG.	19L00356509											
TOTAL LIFTS	TOTAL PIECES			TOTAL NET WEIGHT												
9	176			27,445 LBS. 12,449 KG.												
L-Ladle Analysis of Heat P-Product Analysis of Parent Coil CHEMICAL ANALYSIS																
ID	C	MN	P	S	SI	CR	NI	MO	N	CU						
L 7592253	.10	1.11	.023	.001	.48	17.55	7.12	.19	.033	.24						
UPMQC Reviewed/Approved by QC Reviewed Specification(s): ALL Checked by: <i>MW</i> Pages: 3 Date: 10/23/2019 TW METALS TEST REPORTS 49426595 MAR 18 2020 JH ACCEPTED BY																
*** CONTINUED ON NEXT PAGE ***																

DAS
82
9-89

United Performance Metals

Paul Isaacs
Paul Isaacs
Quality Associate

Customer Name: TW Metals - Exton
Customer PO: M49426585
UPM Sales Order: 755822
Date: 3/17/2020
Description/Form: STAINLESS 301 1/2 HARD - SHEET
Heat Number: 7592253 Ingot: 19L00356506

Width: 36.0000 Length: 120.0000
Size: .1250
Customer P/N:
Packing List Number: 143346-1
Quantity: 1092 LB 7 pc.

	AK Steel Corporation Metallurgical Test Report Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.		Page 2
			Load No. S391843 Sm No. S391843
CUSTOMER UNITED PERFORMANCE METALS INC 3475 SYMMES RD HAMILTON, OH 45015	SHIP TO UNITED PERFORMANCE METALS O'NEAL PERFORMANCE METALS METAL PROCESSING DIVISION 3475 SYMMES ROAD HAMILTON, OH 45015	MILL ORDER NO. 271940-3395 PROCESSOR ORDER NO. CIN-35836-P14 BUYERS ORDER NO. CIN-35836-P14 PART NO. ENGLISH UNITS -PRODUCT- METRIC UNITS .1250 NOM 36.0000 X 120.0000	

SHIPPING DATE: 10/25/2019


REMARKS THIS MATERIAL WAS MELTED AND MANUFACTURED IN THE U.S.A. (DFARS 252.225.7001, 7008 & 7009 COMPLIANT).
NO INTENTIONAL ADDITIONS OF MERCURY OR MERCURY COMPOUNDS, RADIUM, ALPHA SOURCE, AND LOW MELTING ALLOYS OR ELEMENTS CAPABLE OF FORMING LOW MELTING ALLOYS WERE MADE THROUGHOUT THE PROCESSING OF THIS MATERIAL.
COILED PRODUCTS CONTAIN NO WELDS
STEELMAKING PROCESS - EAF MELTED, AOD REFINED, CONTINUOUS CAST SLABS
STAINLESS STEELS SUPPLIED BY AK STEEL CORPORATION COMPLY WITH THE EUROPEAN END-OF-LIFE VEHICLE DIRECTIVE 2000/53/EC (ELVD) AND THE RESTRICTION OF HAZARDOUS SUBSTANCES DIRECTIVE KNOWN AS EU-DIRECTIVE 2011/65/EU, EFFECTIVE JANUARY 3, 2013 (ROHS 2)
RESIDUAL LEVELS OF Hg, Pb, Cd, & HEXAVALENT CHROMIUM ARE WITHIN ACCEPTABLE LIMITS ACCORDING TO THESE DIRECTIVES.
AK STEEL HAS IMPLEMENTED, OPERATES AND MAINTAINS A QUALITY MANAGEMENT SYSTEM IN ACCORDANCE WITH THE REQUIREMENTS OF THE PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2, ANNEX I, PARAGRAPH 4.3.
MATERIAL SUPPLIED IN ACCORDANCE WITH EN 10204:2004 TYPE 3.1
UPM-QRS-001 REV. B, EXCEPTIONS DATED AND APPROVED ON 02/22/2018.

DAS
82
9-89

PRODUCT DESCRIPTION

CR SHT TYPE 301 STAINLESS NI 7.0% MIN TR FINISH 1/2 HARD SLIT EDGE * ASTM A 240-18 UNS S30100 CHEMISTRY ONLY * ASME SA-240 SECT I PART 1 2017 EDITION CHEMISTRY ONLY * ASME SA-666 SECTION II PART A 2017 EDITION * ASTM F 899-12B (UNS S30100 TYPE 301) * AMS 5518M * ASTM A 666-15 * MIL-S-5059 D-AMEND-3 CANCELED * QQ-S-766-D (CANCELED) * UNS-S30100 13TH EDITION * UPM-301-1/2HD 06-04-08

PARENT LIFT	POS	DIR	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. 2% OFFSET (KSI)	ROCKWELL HARDNESS	ROCKWELL HARDNESS	
ID		(L, T, D)							Tail	Front	
719941-03	T	T	A.S.T.M	19.3	MEASURED	2 Inch	167.6	130.4	C 36	C 35	



*** CONTINUED ON NEXT PAGE ***


Paul Isaacs
Quality Associate

Width: 36.0000 Length: 120.0000
Size: .1250
Customer P/N:
Packing List Number: 143346-1
Quantity: 1092 LB 7 pc.

				AK Steel Corporation Metallurgical Test Report Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.				Page 3						
								Load No. 5391843 Srt No. 5391843						
C U S T O M E R	UNITED PERFORMANCE METALS INC 3475 SYMMES RD HAMILTON, OH 45015				UNITED PERFORMANCE METALS O'NEAL PERFORMANCE METALS METAL PROCESSING DIVISION 3475 SYMMES ROAD HAMILTON, OH 45015				MILL ORDER NO. 271940-3395 PART NO.		PROCESSOR ORDER NO. CIN-35836-P14		BUYERS ORDER NO. CIN-35836-P14	
									ENGLISH UNITS -PRODUCT- METRIC UNITS .1250 NOM 36.0000 X 120.0000					
PARENT LIFT ID		POS	DIR (L, T, D)	COND	BEND 90 2T									
729941-03		T		A.S.T.M	PASS									
PARENT LIFT ID		POS	DIR (L, T, D)	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. % OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front			
729941-03		F	T	A.S.T.M	24.2	MEASURED	2 Inch	160.2	125.6	C 36	C 35			
PARENT LIFT ID		POS	DIR (L, T, D)	COND	BEND 90 2T									
729941-03		F		A.S.T.M	PASS									

TW METALS
TEST REPORTS
 49426595
 MAR 18 2020
 JH
 ACCEPTED BY

THE CHEMICAL ANALYSIS AND PHYSICAL OR MECHANICAL TESTS REPORTED ABOVE ARE CORRECT AS CONTAINED IN THE RECORDS OF THIS CORPORATION.

ALL TESTING IS DONE IN ACCORDANCE WITH A.S.T.M. STANDARDS UNLESS OTHERWISE NOTED.

AK Steel Corporation 513-425-5000

MP/CO/04 REV A, 1/14

Program Version LAK588 1.14

THIS CERTIFIED TEST REPORT HAS BEEN DELIVERED TO A CONSIGNEE OF MATERIAL PURCHASED FROM AK Steel Corporation. TO AVOID THE POSSIBILITY OF ITS MISUSE ON DELIVERY OF THE REPORT TO A THIRD PARTY IT MUST BE RECERTIFIED BY AND UNDER THE NAME OF SUCH CONSIGNEE.

SIGNED DATE 12/25/2019 TIME 03:25 PM

CHRISTOPHER J. RHEA QUALITY MANAGER